


UT Health Tyler
Stroke Outcomes
National Comparison 2025



UTHealth
East Texas

Arrival Time to Skin Puncture (Median Time in Minutes)


Measure Description: Median time from hospital arrival to the time of skin puncture to access the artery (e.g., brachial, carotid, femoral, radial) selected for endovascular treatment (EVT) of acute ischemic stroke.



	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
CSTK-09 Arrival to Skin Punct.	56	72	34	46	76	80	70	27	63	56	97	46
D	7	3	4	6	5	8	4	6	4	5	4	7
Comparison / Benchmark	68	66	62	63	63	63	65	61	64	60	64	66

Transferred from another hospital door to Puncture


Measure Description: Arrival Time to Skin Puncture on patients transferred from another hospital. Goal of 60 minutes or less



	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
CSTK=09a Transferred From Another Hospital	28	72	14	46	105	81	53	26	63	46	97	35
Denominator	2	3	2	6	2	6	3	5	4	4	1	6
Comparison / Benchmark	32	34	31	30	32	30	32	28	30	31	31	30

Direct Arrivals door to puncture time.


Measure Description: Arrival Time to Skin Puncture on patients' direct arrival. Goal of 90 minutes or less.



	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
CSTK=09b Direct Arrivals	56		84		42	80	96	86		181	97	163
Denominator	5	0	2	0	3	2	1	1	0	1	3	1
Comparison / Benchmark	85	83	83	80	80	81	83	82	93	79	83	86


Hemorrhagic Transformation Overall Rate

Measure Description: Ischemic stroke patients who develop a symptomatic intracranial hemorrhage (i.e., clinical deterioration ≥ 4 -point increase on NIHSS and brain image finding of parenchymal hematoma, or subarachnoid hemorrhage, or intraventricular hemorrhage) within (\leq) 36 hours after the onset of treatment with intra-venous (IV) or intra-arterial (IA) alteplase therapy, or mechanical endovascular reperfusion procedure (i.e., mechanical endovascular thrombectomy with a clot retrieval device).




	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
CSTK-05 Hemorrhagic Trans.	0%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	9%
Numerator	0	0	1	0	0	0	0	0	0	0	0	1
Denominator	12	6	13	9	9	12	10	8	5	8	5	11
Comparison / Benchmark	5%	5%	4%	6%	5%	5%	4%	4%	4%	5%	5%	5%

Hemorrhagic Transformation for Patients Treated with Intra-Venous Thrombolytic (TNK/Alteplase) Therapy



	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
— CSTK-05a Hemorrhagic Trans: IVO Alteplase therapy only	0%	0%	0%	0%	0%	0%	0%		0%	0%	0%	0%
● Numerator	0	0	0	0	0	0	0	0	0	0	0	0
Denominator	3	1	7	2	3	2	3	0	1	2	1	4
● Comparison / Benchmark	3%	2%	2%	4%	2%	2%	2%	3%	2%	3%	3%	3%

Hemorrhagic Transformation for Patients Treated with Intra-Arterial (Alteplase) Therapy or Mechanical Endovascular Reperfusion Therapy



	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
■ CSTK-05b Hemorrhagic Trans. IA	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	14%
Numerator	0	0	1	0	0	0	0	0	0	0	0	1
Denominator	9	5	6	7	6	10	7	8	4	6	4	7
■ Comparison / Benchmark	6%	6%	5%	7%	6%	6%	6%	5%	5%	5%	5%	6%



UTHealth
East Texas